

makes a difference









CLEANING TRANSFORMED - CART TO SKID.

Belt or direct drive, Honda powered cold water pressure washers.

MAKO SHARK SERIES - GAS



Easily converts from cart to skid.

Corrosion-resistant and light-weight, Mako Shark Series aluminum pressure washers can be utilized as a cart or a skid for maximum cleaning versatility and durability. These reliable Honda powered pressure washers offer a bypass loop for additional pump protection, 7-year pump warranty and flat-free tires.





















1 Modular Design

Can transition from cart to skid (with skid feet accessory) design for versatile cold water cleaning applications.

2 Mobile and Durable

- 1-1/4 inch handles on front and back make it easy to load and unload the pressure washer in a vehicle.
- Flat free tires are puncture proof.
- Weld free, corrosion resistant aluminum frame.
- Reliable Honda GX commercial-duty gasoline engines with a 3-year warranty.
- Durable VRT3 unloader with bypass loop diverts water flow when trigger gun is not activated.
- Industrial-grade, belt or direct drive high pressure pumps have triplex, forged brass heads with a 7-year warranty.
- Crankcase pumps feature U-Seal technology, giving pumps longer life adn better performance.

3 Convenient

- Quick-couple nozzles are made of hardened stainless steel and color-coded for easy selection of spray pattern: 15°, 25°, 40°.
- 50 ft of steel-wire braid high pressure hose with 24-inch hose guard for burst protection and swivel crimp fitting for tangle-free handling of hose and trigger gun.
- Insulated, fatigue-free, spring-loaded trigger gun with side-grip spray wand make for easy point-and-shoot cleaning action.

4 Adaptable

Can be fitted to the HD Pallet Skid with a 50 gallon water tank and 100' hose reel or the HD Pallet Skid with two 100' hose reels. Mild steel skid fits within a standard UTV / ATV bed. See optional accessories for more information.







TECHNICAL DATA AND EQUIPMENT









Direct Drive Cart and Skid

Belt Drive Cart and Skid

TECHNICAL DATA									
Model	Part No.	GPM	PSI	Drive	СС	Engine	Pump	Ship Weight (lbs)	Ship Dimensions (L x W x H) Inches
HD 3.0/27 G	9.807-735.0	3.0	2700	Direct	196	Honda GX 200	Crankcase	112	45" x 28" x 29"
HD 3.5/35 G	9.807-736.0	3.5	3500	Direct	270	Honda GX 270	Crankcase	130	45" x 28" x 29"
HD 4.0/40 G	9.807-737.0	4.0	4000	Direct	389	Honda GX 390	Crankcase	149	45" x 28" x 29"
HD 4.0/40 Ge*	9.807-738.0	4.0	4000	Direct	389	Honda GX 390	Crankcase	158	45" x 28" x 29"
HD 3.0/27 GB	9.807-739.0	3.0	2700	Belt	196	Honda GX 200	Crankcase	123	45" x 28" x 29"
HD 3.5/35 GB	9.807-740.0	3.5	3500	Belt	270	Honda GX 270	Crankcase	156	45" x 28" x 29"
HD 4.0/40 GB	9.807-741.0	4.0	4000	Belt	389	Honda GX 390	Crankcase	160	45" x 28" x 29"
HD 4.0/40 GeB*	9.807-742.0	4.0	4000	Belt	389	Honda GX 390	Crankcase	196	45" x 28" x 29"

^{*}Electric start on selected models

ACCESSORIES				
	Order No.	Description		
	8.925-361.0	Legacy, 100' x 3/8" ID, 4000 PSI, 1-wire, smooth cover, black high pressure hose		
	9.302-243.0	Legacy Turbo Nozzle, 4.0, 4350 PSI		
	9.802-222.0	36-inch Variable Pressure Wand		
	8.753-572.0	A+ Surface Cleaner SC21		
	8.753-573.0	A+ Surface Cleaner SC24		
	9.807-754.0	Skid mount feet (4)		
	9.807-750.0	37.5" long handle		
	9.807-753.0	Wand holder		
	9.807-752.0	Hose storage hook		
	9.807-751.0	Handle with hose reel		



Mako Shark Series Skid with Water Tank

- 9.807-836.0
- Mild steel
- \blacksquare 50 gal water tank and 1 100' hose reel
- \blacksquare 180 lbs excluding pressure washer
- 40" L x 48" W x 35" H



Mako Shark Series Skid with 2 Hose Reels

- 9.807-841.0
- Mild steel
- 2 100' hose reels
- 172 lbs excluding pressure washer
- 47" L x 40" W x 35" H

OPTI	OPTIONS					
	Order No.	Description				
	9.807-836.0	Mako Shark Series Skid with Water Tank compatiable with pressure washers: 9.807-735.0, 9.807-736.0, 9.807-737.0				
	9.807-841.0	Mako Shark Series with 2 Hose Reels compatiable with pressure washers: 9.807-735.0, 9.807-736.0, 9.807-737.0				
	8.923-105.0	Rubber feet kit (field installed)				
	8.923-107.0	Inlet filter kit (field installed)				
	8.923-106.0	Lifting eye bolts kit (field installed)				
	8.923-108.0	Three-way valve kit (field installed)				

■ Included □ Optional